

SWITCH CONTROLLER TST2801



220-240 V
50/60 Hz
AC, DC



Switch Controller (Installation: with the junction box enclosure (IP20) for independent installation).

in normal mode the luminaires take their supply from the light switch
controls emergency lights by normal light switch
an analog dimming control output 1-10 V

We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 23, 2024 | Source: teknoware.fi/en/emergency-lighting/switch-controller-tst2801

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

 **TEKNOWARE®**

Product Code	TST2801
Mounting (standard)	surface
Customs Code	94056080
GTIN Code	6438045006314
ETIM Product Class	EC000205
Length	213 mm
Width	127 mm
Height	75 mm
Weight	0,2 kg
Nominal Supply Voltage	220-240 V, 50/60 Hz AC, DC
Power Consumption	250 VA
Body Material	sheet metal

We reserve the rights to make modifications without notice.


Copyright © 2024 Teknoware. All rights reserved.

Date: May 23, 2024 | Source: teknoware.fi/en/emergency-lighting/switch-controller-tst2801

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland

Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com





We reserve the rights to make modifications without notice.

Copyright © 2024 Teknoware. All rights reserved.

Date: May 23, 2024 | Source: teknoware.fi/en/emergency-lighting/switch-controller-tst2801

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland
 Tel +358 3 883 020 | VAT-number FI01494751 | teknoware.com | emexit@teknoware.com

