


# EASY: LINE LOWBAY



Teknoware Easy Line Lowbay is a versatile and cost-effective emergency light. It provides a long and narrow light pattern that illuminates corridors and escape routes efficiently.

Easy Line Lowbay can easily be surface or semi-flush mounted thanks to its practical design. Easy's wide product family offers an ideal choice when you want a single fixture for your entire property's needs.

for escape routes

5-year warranty

installation height: up to 4 metres

self-contained or centrally supplied depending on model

protection rating: IP40 (or IP54 with an additional seal, sold separately)

standard installation: either surface or semi-flush mounted, suspended installation with a separate mounting bracket

self-contained emergency lights use a LiFePO<sub>4</sub> battery

SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND SELF-TESTING

Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWTB252WM	220-240 V, 50/60 Hz AC	Lumi Test	1
TWTB253WM	220-240 V, 50/60 Hz AC	Lumi Test	3

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: May 04, 2024 | Source: [teknoware.fi/en/emergency-lighting/emergency-lights/emergency-light-product-families/easy-line-lowbay](https://teknoware.fi/en/emergency-lighting/emergency-lights/emergency-light-product-families/easy-line-lowbay)

# SELF-CONTAINED EMERGENCY LIGHTS WITH BATTERY AND WIRELESS CENTRAL MONITORING

We reserve the rights to make modifications without notice.  
Copyright © 2024 Teknoware. All rights reserved.  
Date: May 04, 2024 | Source: [teknoware.fi/en/emergency-lighting/emergency-lights/emergency-light-product-families/easy-line-lowbay](https://teknoware.fi/en/emergency-lighting/emergency-lights/emergency-light-product-families/easy-line-lowbay)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](https://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)



Product Code	Nominal Supply Voltage	Feature	Backup (h)
TWTB252WA	220-240 V, 50/60 Hz AC	Aalto Control	1
TWTB253WA	220-240 V, 50/60 Hz AC	Aalto Control	3

## ADDRESSABLE 230 V CENTRALLY SUPPLIED EMERGENCY LIGHTS

Product Code	Nominal Supply Voltage	Feature
TWTB251WK	220-240 V, 50/60 Hz AC, DC	Intelligent Controller, Tapsa Control